



illumination design
SINCE 1972

TECHNICAL SHEETS












MATERIALI / MATERIALS	
Struttura / Frame	Ferro - Acciaio con effetto martellato / Iron – Steel with hammered effect
Vetro / Glass	---

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Sospensione / Pendant	Sospensione / Pendant
Installazione / Installation	Soffitto / Ceiling	Soffitto / Ceiling
Diametro / Diameter	20 cm.	7,87"
Altezza / Height	18 cm.	7,08"
Cavi Standard / Standard wires	130 cm.	51,18"
Rosone / Canopy	Ø 5cm.	Ø 1,96" (additional plate Ø 4,72")

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	5W Strip Led 4000K (incl. / incl.) 3x0,8W chip led 4000K (incl. / incl.)	5W Strip Led 4000K (incl. / incl.) 3x0,8W chip led 4000K (incl. / incl.)
Wattaggio massimo / Max wattage	7,4W (865 lumen)	7,4W (865 lumen)
Tensione led / Led voltage	24VDC (driver incl. / driver incl.)	24VDC (driver incl. / driver incl.)
Dimmerabilità / Dimmability	Phase dimming on request	Phase dimming on request

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS	Opzioni vetri / Glass options
 Foglia oro / gold leaf  foglia argento / silver leaf  nero velluto/ velvet black	 Argento satinato / mat silver

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.1,60	 Volume M3 0,025	 Peso Lordo / Gross weight Kg.2,50

--- MADE IN ITALY ---