



illumination design  
SINCE 1972



# TECHNICAL SHEETS

21668












MATERIALI / MATERIALS	
Struttura / Frame	Ferro - Acciaio / Iron - Steel
Diffusore / Diffuseur	PVC satinato / mat PVC

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Sospensione / Pendant	Sospensione / Pendant
Installazione / Installation	Soffitto / Ceiling	Soffitto / Ceiling
Diametro / Diameter	60 cm.	23,62"
Altezza / Height	1,5 cm.	0,59"
Cavi Standard / Standard wires	130 cm.	51,18"
Rosone / Canopy	Ø 22 cm.	Ø 8,66"

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V - 50/60Hz	100-120V - 50/60Hz
Specifiche lampade/Bulbs specifications	37W Strip Led 4000K (incl. / incl.)	37W Strip Led 4000K (incl. / incl.)
Wattaggio massimo / Max wattage	37W (4000 lumen)	37W (4000 lumen)
Tensione led / Led voltage	24VDC (driver incl. / driver incl.)	24VDC (driver incl. / driver incl.)
Dimmerabilità / Dimmability	Phase dimming on request	Phase dimming on request

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS		Opzioni vetri / Glass options
 Foglia oro / gold leaf  foglia argento / silver leaf	 nero velluto/ velvet black  bianco lucido / glossy white	

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.10,00	 Volume M3 0,160	 Peso Lordo / Gross weight Kg.13,50

--- MADE IN ITALY ---







