



illumination design
SINCE 1972



TECHNICAL SHEETS



TECHNICAL SHEETS

21058






MATERIALI / MATERIALS	
Struttura / Frame	Acciaio / Steel
Vetro / Glass	Soffiato e lavorato a mano con effetto ottico / Blow worked by hand with optical effect

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Sospensione / Pendant	Sospensione / Pendant
Installazione / Installation	Soffitto / Ceiling	Soffitto / Ceiling
Diametro / Diameter	78 cm.	30,70"
Altezza / Height	16 cm.	6,29"
Cavi Standard / Standard wires	130 cm.	51,18"
Rosone / Canopy	n.2 Ø 6x13h cm.	n.2 Ø 2,36"x5,11"h (additional n.2 plates Ø 4,72")

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	20W Strip Led 4000K (incl. / incl.)	20W Strip Led 4000K (incl. / incl.)
Wattaggio massimo / Max wattage	20W (750 lumen)	20W (750 lumen)
Tensione led / led voltage	24VDC (driver incl. / driver incl.)	24VDC (driver incl. / driver incl.)
Dimmerabilità / Dimmability	Phase dimming on request	Phase dimming on request

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS		Opzioni vetri / Glass options
 nickel / nickel  cromo / chrome  nickel satinato / satin nickel  nickel nero / black nickel  placcato rame/copper plated	 oro shadow / shadow gold  placcato oro / gold plated  ottone satinato / satin brass  brunito spazzolato/brushed bronze	 Trasparente / Transparent  Bianco / White

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.9,00	 Volume M3 0,120	 Peso Lordo / Gross weight Kg.12,00

--- MADE IN ITALY ---