



illumination design  
SINCE 1972



# TECHNICAL SHEETS



# TECHNICAL SHEETS






MATERIALI / MATERIALS	
Struttura / Frame	Acciaio / Steel
Vetro / Glass	Pirex (vetro borosilicato temperato) / Pirex (tempered borosilicate glass)

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Lampada da parte / Wall light	Lampada da parte / Wall light
Installazione / Installation	Parete / Wall	Parete / Wall
Diametro / Diameter	11,5 cm.	27,95"
Altezza / Height	40 cm.	4,52"
Sporgenza / Depth	4,5 cm.	1,77"
Base / Base	Ø 6 cm.	Ø 2,36" (additional plate Ø 4,72")

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	5W Strip led 4000K (incl. / incl.)	5W Strip led 4000K (incl. / incl.)
Wattaggio massimo / Max wattage	5W (500 lumen)	5W (500 lumen)
Tensione led / led voltage	24VDC <b>(NO driver / NO driver)</b>	24VDC <b>(NO driver / NO driver)</b>
Dimmerabilità / Dimmability	Phase dimming on request	Phase dimming on request

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS	
 nickel / nickel	 placcato oro / gold plated
 cromo / chrome	 ottone satinato / satin brass
 nickel satinato / satin nickel	 brunito spazzolato/brushed bronze
 nickel nero / black nickel	 foglia oro / gold leaf
 placcato rame/copper plated	 foglia argento / silver leaf
 oro shadow / shadow gold	 foglia rame / copper leaf

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.1,00	 Volume M3 0,025	 Peso Lordo / Gross weight Kg.1,50

--- MADE IN ITALY ---