




Stillux
LIGHTING LAB

illumination design
SINCE 1972



**TECHNICAL
SHEETS**

21077



TECHNICAL SHEETS






MATERIALI / MATERIALS	
Struttura / Frame	Acciaio / Steel
Vetro / Glass	Pirex (vetro borosilicato temperato) / Pirex (tempered borosilicate glass)

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Lampada da terra / Floor lamp	Lampada da terra / Floor lamp
Installazione / Installation	Terra / Floor	Terra / Floor
Diametro / Diameter	11,5 cm.	4,52"
Altezza / Height	172 cm.	67,71"
Base / Base	Ø 20 cm.	Ø 7,87"

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	31W Strip led 4000K (incl. / incl.)	31W Strip led 4000K (incl. / incl.)
Wattaggio massimo / Max wattage	31W (3100 lumen)	31W (3100 lumen)
Tensione led / led voltage	24VDC (driver incl. / driver incl.)	24VDC (driver incl. / driver incl.)
Dimmerabilità / Dimmability	Phase dimming on request	Phase dimming on request

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS	
 nickel / nickel	 placcato oro / gold plated
 cromo / chrome	 ottone satinato / satin brass
 nickel satinato / satin nickel	 brunito spazzolato/brushed bronze
 nickel nero / black nickel	 foglia oro / gold leaf
 placcato rame/copper plated	 foglia argento / silver leaf
 oro shadow / shadow gold	 foglia rame / copper leaf

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.10,00	 Volume M3 0,120	 Peso Lordo / Gross weight Kg.13,00

--- MADE IN ITALY ---