



illumination design
SINCE 1972



TECHNICAL SHEETS

20639-20739-20839



TECHNICAL SHEETS






20639-20739-20839






| MATERIALI / MATERIALS | |
|-----------------------|---|
| Struttura / Frame | Ferro-forgiato a mano / Handmade forged iron |
| Vetro / Glass | Soffiato e lavorato a mano / Blow and hand worked |

| DATI TECNICI / TECHNICAL DATA | | |
|-------------------------------|-----------------------------|------------------------------------|
| INFO | EUROPE | USA |
| Prodotto / Product | Lampada Parete / Wall Light | Lampada Parete / Wall Light |
| Installazione / Installation | Parete / Wall | Parete / Wall |
| Diametro / Diameter | 14 cm. | 5,51" |
| Altezza / Height | 26 cm. | 10,23" |
| Sporgenza / Depth | 28 cm. | 11,02" |
| Base / Base | Ø 8 cm. | Ø 3,14" (additional plate Ø 4,72") |

| SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS | | |
|---|------------------------|------------------------|
| INFO | EUROPE | USA |
| Alimentazione / Power Supply | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Specifiche lampade/Bulbs specifications | 1xE14 4W led (tubular) | 1xE12 4W led (tubular) |
| Wattaggio massimo / Max wattage | 4W | 4W |
| Tensione utilizzo / Usage voltage | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Dimmerabilità / Dimmability | With dimmable bulbs | With dimmable bulbs |

| OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS | Opzioni vetri / Glass options |
|---|---|
|  foglia oro antica / antique gold leaf  foglia argento antica / antique silver leaf  Ruggine / rust |  Trasparente con diffusore ambra Transparent with amber diffuseur  Trasparente con diffusore satinato Transparent with mat diffuseur |

| PESO E VOLUME / WEIGHT AND VOLUME | | |
|--|--|--|
|  Peso Netto / Net weight Kg.2,50 |  Volume M3 0,025 |  Peso Lordo / Gross weight Kg.3,00 |

--- MADE IN ITALY ---