



illumination design
SINCE 1972



TECHNICAL SHEETS

20649-20749-20849



TECHNICAL SHEETS






20649-20749-20849






MATERIALI / MATERIALS	
Struttura / Frame	Ferro-forgiato a mano / Handmade forged iron
Vetro / Glass	Soffiato e lavorato a mano / Blow and hand worked

DATI TECNICI / TECHNICAL DATA		
INFO	EUROPE	USA
Prodotto / Product	Lampadario / Chandelier	Lampadario / Chandelier
Installazione / Installation	Soffitto / Ceiling	Soffitto / Ceiling
Diametro / Diameter	50 cm.	19,68"
Altezza / Height	40 cm.	15,74"
Cavi Standard / Standard wires	130 cm.	51,18"
Rosone / Canopy	Ø 8 cm.	Ø 3,14 (additional plate Ø 4,72")"

SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS		
INFO	EUROPE	USA
Alimentazione / Power Supply	220-240V – 50/60Hz	100-120V – 50/60Hz
Specifiche lampade/Bulbs specifications	3xG9 4,5W led	3xG9 4,5W led
Wattaggio massimo / Max wattage	13,5W	13,5W
Tensione utilizzo / Usage voltage	220-240V – 50/60Hz	100-120V – 50/60Hz
Dimmerabilità / Dimmability	With dimmable bulbs	With dimmable bulbs

OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS	Opzioni vetri / Glass options
 foglia oro antica / antique gold leaf  foglia argento antica / antique silver leaf  Ruggine / rust	 Trasparente / Transparent  Satinato / Frosted

PESO E VOLUME / WEIGHT AND VOLUME		
 Peso Netto / Net weight Kg.5,00	 Volume M3 0,096	 Peso Lordo / Gross weight Kg.7,00

--- MADE IN ITALY ---