



illumination design
SINCE 1972



TECHNICAL SHEETS

20655-20755



TECHNICAL SHEETS





20655-20755






| MATERIALI / MATERIALS | |
|-----------------------|--|
| Struttura / Frame | Ferro-forgiato a mano con effetto martellato / Handmade forged iron with hammered effect |
| Vetro / Glass | Soffiato e lavorato a mano / Blow and hand worked |

| DATI TECNICI / TECHNICAL DATA | | |
|----------------------------------|-------------------------|-------------------------|
| INFO | EUROPE | USA |
| Prodotto / Product | Lampadario / Chandelier | Lampadario / Chandelier |
| Installazione / Installation | Soffitto / Ceiling | Soffitto / Ceiling |
| Diametro / Diameter | 86 cm. | 33,85" |
| Altezza / Height | 130 cm. | 51,18" |
| Catena standard / Standard chain | // | // |
| Rosone / Canopy | Ø 17 cm. | Ø 6,69" |

| SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS | | |
|---|---------------------|---------------------|
| INFO | EUROPE | USA |
| Alimentazione / Power Supply | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Specifiche lampade/Bulbs specifications | 33xE14 4W led | 33xE12 4W led |
| Wattaggio massimo / Max wattage | 132W | 132W |
| Tensione utilizzo / Usage voltage | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Dimmerabilità / Dimmability | With dimmable bulbs | With dimmable bulbs |

| OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS | Opzioni vetri / Glass options |
|--|---|
|  Foglia oro / gold leaf  foglia argento / silver leaf |  Trasparente / Transparent  Satinato / Frosted |

| PESO E VOLUME / WEIGHT AND VOLUME | | |
|---|--|---|
|  Peso Netto / Net weight Kg.30,00 |  Volume M3 0,600 |  Peso Lordo / Gross weight Kg.35,00 |

--- MADE IN ITALY ---