



illumination design
SINCE 1972



TECHNICAL SHEETS






TECHNICAL SHEETS






| MATERIALI / MATERIALS | |
|-----------------------|---|
| Struttura / Frame | Ferro-forgiato a mano / Handmade forged iron |
| Vetro / Glass | Soffiato e lavorato a mano / Blow and hand worked |

| DATI TECNICI / TECHNICAL DATA | | |
|--------------------------------|-------------------------|-----------------------------------|
| INFO | EUROPE | USA |
| Prodotto / Product | Lampadario / Chandelier | Lampadario / Chandelier |
| Installazione / Installation | Soffitto / Ceiling | Soffitto / Ceiling |
| Diametro / Diameter | 30x30 cm. | 11,81"x11,81" |
| Altezza / Height | 30 cm. | 11,81" |
| Cavi Standard / Standard wires | 130 cm. | 51,18" |
| Rosone / Canopy | Ø 8 cm. | Ø 3,14 (additional plate Ø 4,72)" |

| SPECIFICHE ELETTRICHE / ELECTRICAL SPECIFICATIONS | | |
|---|---------------------|---------------------|
| INFO | EUROPE | USA |
| Alimentazione / Power Supply | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Specifiche lampade/Bulbs specifications | 4xG9 4,5W led | 9xG9 4,5W led |
| Wattaggio massimo / Max wattage | 18W | 18W |
| Tensione utilizzo / Usage voltage | 220-240V – 50/60Hz | 100-120V – 50/60Hz |
| Dimmerabilità / Dimmability | With dimmable bulbs | With dimmable bulbs |

| OPZIONE DECORI STANDARD / STANDARD FINISHING OPTIONS | Opzioni vetri / Glass options |
|--|---|
|  Argento satinato <i>Mat silver</i> |  Trasparente / <i>Transparent</i>  Satinato / <i>Frosted</i> |

| PESO E VOLUME / WEIGHT AND VOLUME | | |
|---|--|---|
|  Peso Netto / <i>Net weight</i> Kg.6,00 |  Volume M3 0,061 |  Peso Lordo / <i>Gross weight</i> Kg.7,00 |

--- MADE IN ITALY ---